



PRECISION COAT

**SUPER
UNIQUE
REGULAR
MUSSCLE**



*UNMATCHED
AESTHATICS.....
MATCHLESS
PERFORMANCE*



POWDER COATING EQUIPMENT



PRECISION COAT

PRECISION COAT POWDER COATING EQUIPMENT

PRECISION COAT The pioneers in manufacturing Powder Coating Systems for over a decade adhering to modern industries requirements both standardized and custom based. Having Complete in-house R & D division with technically qualified staff and complete manufacturing infrastructure PRECISION COAT products are bound to go through stringent quality check points for longer hassle free efficient life and productivity.

Salient Features

- Special Designed Conical Hooper having 35 Liters Capacity.
- Touch Trigger for Extra Durability and 100 % Safety of Operator.
- Lower Cost of Maintenance
- Light Weight Gun
- Cascade Embedded in Barrel
- HV Bar Display
- Charging Unit Built-in the Gun
- No Voltage / Amp. Drop.
- Break Wheel Attachment in the Trolley.

SUPER ADVANTAGE

- Maintenance Free Unit with Air Cooling
- Separation of Electrostatic & Pneumatic
- Self Testing Electronic Section.
- Model Available in S.O.S. M.F.B.




UNIQUE ADVANTAGE

- Simple Operation with all the Controls on front Panel.
- Imported Pneumatic Fittings - CDC / SANGA Make.
- Maintenance Free Unit with Air Cooling Fan
- Self Testing Electronic Section.
- Legris Airgun CDC Air Gun.
- Janatics Filter regulator with Gauge
- Model available in D.O.S. M.F.B.
- Separation of Electronic & Pneumatic Section
- Spares Kit Available



PRECISION COAT




REGULAR ADVANTAGE

- ▶ Pluggable PCB's for easy Maintenance
- ▶ 12 V Operated Unit
- ▶ Model available in S.O.S./D.O.S.



MUSCLE ADVANTAGE

- ▶ Double Operating A.C. Unit.
- ▶ Pluggable PCB's for easy maintenance.
- ▶ Model available in D.O.S.
- ▶ 12 V. Operated Units.
- ▶ Double Bar Display.



PAINT BAKING

- ▶ Complete solution for customized designs for semi or fully conveyerised Ovens of every fuel- be it LPG, Diesel, Electric for both Liquid paint or Powder Coating



PRECISION COAT



METAL PRETREATMENT

Complete solution for pretreatment heating :
Electric, Thermic,
Hot water / steam.



PAINT BAKING

Complete solution for customized designs for semi or fully conveyerised Ovens of every fuel - be it LPG, Diesel, Electric for both Liquid paint or Powder coating

GUN SPECIFICATIONS

Input voltage	: 220V Ac 50 Hz.
HV Output	: 100 Kv - VE DC
Solonocide Voltage	: 220 V Ac
Output Current	: 150 ma
Trigger	: Touch Switch
Polarity	: + ve or -ve
Cascade	: Embedded in Barrel
Powder Flow Rate	: max. 500 Gms. / Min.
Weight	: 635 Gms.
Length	: 375 mm:
Container capacity	: 25 - 35 Ltr.
Air Requirement	: 8 Cfm
Air Input Connection:	0.25" BSP
Air Consumption	: 10m ³ /Hr.at 5 Kg./ cm ²
Transfer Efficiency	: Maximum
KV indication	: LED Bar Display
HV Set Control	: Step less 10 KV - 100 KV
Mains ON	: LED Indication



Authorised Associate :



PRECISION COAT

PRECISION HANDLES

Regd. Office: 21/A, Dayaram Naskar Lane, Ghosuri, Howrah - 7 (W.B.) India

Ph : + 91 033 2655 1442/0092

E-mail : precision_coat@ yahoo.co.in